

08CN07467-1

CLEAN VERSION OF AMENDMENTSIN THE CLAIMS

Please amend Claim 26 as follows in re-written "clean" format:

Sub C ²³
~~26.~~ (Amended/Clean) A conductive thermoplastic composition comprising the reaction product of:

BT
about 20 to about 60 weight percent of a polyphenylene ether copolymer comprising about 75 to about 90 weight percent of 2,6-dimethyl-1,4-phenylene ether units and about 10 to about 25 weight percent of 2,3,6-trimethyl-1,4-phenylene ether units;

about 30 to about 65 weight percent of a polyamide;

about 0.1 to about 5 weight percent of a compatibilizing agent;

about 1 to about 30 weight percent of an impact modifier comprising a styrene-(ethylene-butylene)-styrene triblock copolymer and a styrene-(ethylene-propylene) diblock copolymer; and

about 0.025 to about 40 weight percent of an electrically conductive filler;

wherein all weight percents are based on the total weight of the composition.